


SOFSEM-2012
Špindlerův Mlýn, Czech Republic, January 21–27, 2012

Reset Complexity of Ideal Languages

Marina I. Maslennikova

Ural Federal University
Ekaterinburg, Russia

- A DFA $\mathcal{A} = \langle Q, \Sigma, \delta \rangle$ is called *synchronizing*, if there exists a word $w \in \Sigma^*$ which leaves the automaton in one particular state no matter which state in Q it starts at:
$$\delta(q_1, w) = \delta(q_2, w) \text{ for all } q_1, q_2 \in Q.$$
$$|\delta(Q, w)| = 1.$$
- Any such word is said to be *synchronizing* (or *reset*) for the DFA \mathcal{A} .
- $Syn(\mathcal{A})$ – the language of all words synchronizing \mathcal{A} .



A reset word is $abba$: applying it at any state brings the automaton to the state 1.

Černý conjecture

Any synchronizing n -state automaton possesses a synchronizing word of length at most $(n - 1)^2$.

- The *state complexity* of the language L (the number of states in the minimal DFA recognizing L) is denoted by $sc(L)$.
- In what follows we consider only ideal languages: $L = \Sigma^* L \Sigma^*$.

Lemma 1.

Let L be an ideal language and \mathcal{A} the minimal automaton recognizing L . Then \mathcal{A} is synchronizing and $Syn(\mathcal{A}) = L$.

- *Reset complexity* of an ideal language L is the minimal possible number of states in a synchronizing automaton \mathcal{A} such that $Syn(\mathcal{A}) = L$.

- $rc(L) \leq sc(L)$.

Proposition 1.

Let L be an ideal language over a unary alphabet. Then $sc(L) = rc(L) = \ell + 1$, where ℓ is the minimum length of words in L .

- A synchronizing automaton, whose shortest reset words have length close to $(n - 1)^2$, is called “*slowly*” synchronizing.

Proposition 2.

For every “slowly” synchronizing automata \mathcal{A}_n with n states, $sc(\text{Syn}(\mathcal{A}_n)) = 2^n - n$ and $rc(\text{Syn}(\mathcal{A}_n)) = n$.

- For the language
$$L = (a + b)^*(b^3ab^2a + a^2b^3a + abab^3a + ab^2ab^3a)(a + b)^*$$
 there exist two different synchronizing automata for which L serves as the language of synchronizing words.